Fluency Direct from SMPH (Department) and Personal Computers



The following instructions detail how providers can access School of Medicine and Public Health/Department computers and personal computers in order to complete documentation using Health Link and Fluency Direct.

- 1. Launch internet browser.
- 2. In the address bar, type citrix.uwhealth.org.

(→) (→) (→) (→) (→) (→) (→) (→) (→) (→)	UW Health Launch Page ×	na Lana Lan Ing.	Stylus Merculo.	- □ × À ☆ ‡
🟠 🕶 🔊 👻 🖃 🖷 💌 Page 🕶 Safety 🕶 Tools 🕶 🕢 🐙 🔊				
	UW <u>Health</u>			^
			Þ	
Outlook Webmail	Directory		MyTime	
U-CONNECT EXPERIENCES		TOOLS		
U-Connect		r agirig	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~

3. Log in with your Epic User ID and Password.

C () () https://citrix.uwhealth.org/vpn/ir Q + C () () UW Health	h Access X	×■□□ 約 ☆ ☆
File Edit View Favorites Tools Help		
🟠 🔻 🔝 👻 🖷 🖷 🔻 Page 🕶 Safety 🕶 Tools 🕶 🕢 🔊 🔊		
	Please log on	
	l ker name	
	3	
Млеан	Password	
	Log On	

4. Select the **Desktops** tab.

Search P	Logged on as: tab319	Settings	Log Off ▼	W Health
Applications Desktops				

Page $\mathbf{1}$ — Fluency Direct from SMPH (Department) and Personal Computers

©5/12/17 UW Health Information Services & Health Information Management Medical Transcription

5. Select Remote Access Desktop.

Applications	Desktops	
Durante		Wie dawe 2000 Daaltaa
Remote Acc	ess Desktop	Windows 2008 Desktop

6. Desktop will load.



7. Once Virtual Desktop is loaded, select **Start**.



Page $\mathbf{2}$ — Fluency Direct from SMPH (Department) and Personal Computers

©5/12/17 UW Health Information Services & Health Information Management Medical Transcription

8. In the Search programs and files field, start typing "Fluency" and select Fluency Direct.

Program	is (2)	
🛃 Fluer	ncy Direct	
Fluer	ncy Direct Help	
	-	
See mo		
rid		× Log off +
U		

9. Launch Health Link from the Desktop.

Remote Access Desktop - Desktop Viewer	_ D X
Elicit Ruhel Microsoft Microsoft Control Contr	
Computer OPO Items Hashib Link	
Network UWH Department.	
Fecycle Bin Case Jabber Krones Quick	
Control Panel Google Kionos WEC 7	Please sing in
Cingx	 • • • • • • • • • • • • • • • • • • •

10. Log in to Health Link.



11. Health Link will log you in to Fluency Direct (single-sign-on).

Determine your preferred method to record dictation

DICTATION/RECORDING METHOD	S WINDOWS	MAC
A. Dictate through cell phone - see letter A be	Recommended low	Recommended
B. Dictate through plug-in microphone (Olympus see letter B on page 6	Available but complex	Available but complex
Dictate with laptop interna microphone	Not available and/or not recommended	Not recommended

12. Click the Fluency Direct toolbar and select Microphone Setup.



A. DICTATE THROUGH CELL PHONE

Install the Fluency Direct app on your phone as follows:

Go to <u>https://uconnect.wisc.edu/applications3/emailforms/form.jsp?ef=168</u> to complete and submit the required AirWatch consent form. Systems Security will notify you via email regarding the status of your request and push the M*Modal Mobile Microphone app to your phone.

After the app is installed, then follow these instructions:

- Select Link an iPhone (even if you use an Android phone) from the Microphone pulldown menu
- Select Toggle to talk from the Recording behavior pull-down menu
- Click Save

Microphone	u want to use for dictation	Stereo Mix (Realtek High Defin '
		Stereo Mix (Realtek High Definitio.
Record button choose a microphone bu	tton or keyboard key to start and stop recording	Link an iPhone
Recording behavio	r utton will work	Toggle to talk
Calibration		Calibrate

• Open the M*Modal Fluency Direct app on your cell phone

NOTE: On your phone, you will be prompted to enter a 4-digit code and simultaneously on your computer a window containing a 4-digit code will appear. It will be necessary to enter the code to your phone the first time it is linked to Fluency Direct (and possibly at subsequent different locations/clinics). The 4-digit code differs with each occurrence.

	?	×
Please download the M*Modal Fluency Direct app fro the App Store on your iPhone. Launch the app and er this 4-digit PIN when prompted. Please do not close t window.	nte thi:	r
2881		

• To record dictation, click on (toggle) the **mic icon on the FD control bar** and speak into the mic, or press the **mic icon on the screen of your phone** and speak into the phone. When recording, the mic icon on each device will be green. To end dictation recording, click/press the mic icon (toggle).



B. DICTATE THROUGH PLUG-IN MICROPHONE (OLYMPUS)

NOTES:

- With this configuration (Citrix and Remote Access Desktop), the <u>buttons</u> on the microphone will not work.
- Mac users: The first step is to disable the Mac's internal microphone (see instructions on pages 7-9), then continue as directly below.
- Plug mic in to USB device on computer
- In Fluency Direct, go to Set up your microphone, Microphone, then select Citrix HDX Audio
- In the Record button field, the backtick key on the computer keyboard is set as the default



- Select Toggle to talk from the Recording behavior pull-down menu
- Click Save

Set up your microphone	
Microphone select the microphone you want to use for dictation	Citrix HDX Audio
Record button choose a microphone button or keyboard key to start and stop recording	
Recording behavior specify how the record button will work	Toggle to talk
Calibration calibrate the microphone to your voice and surroundings	Calibrate
	Advanced
	Save Cancel

- To record dictation, you could
 - a. click on (toggle) the mic icon on the FD control bar and speak into the mic or
 - b. click on (toggle) the **backtick key** of computer keyboard and speak into the mic
- To end dictation recording, click/press the mic icon on the FD control bar.

INSTRUCTIONS TO DISABLE THE MAC INTERNAL MICROPHONE

Fluency Direct (FD) is a Windows-based client, so it cannot be installed on Macs; therefore, the preferred method to access FD from a Mac laptop is via Remote Access Desktop, with the MModal Fluency Direct mobile microphone app that is available for iPhone and Android phones.

If you choose to use the Olympus USB microphone rather than cell phone, the internal microphone on the Mac computer needs to be muted/disabled and then the Olympus USB microphone plugged in.

Below are instructions for two approaches (sourced from <u>http://osxdaily.com/2010/06/25/disable-the-internal-microphone-on-your-mac/</u>)

All Macs have a microphone included in them, but if you want to disable the internal microphone on your Mac, you can do so through a variety of methods. We'll cover the two easiest approaches to turning off the microphone; reducing the input volume so that no sound is picked up by the microphone, and also by selecting a different and nonexistent audio input source so that the Mac will not detect audio whatsoever. Both methods effectively disable the microphone on a Mac

Note that these work to disable the Mac's internal built-in microphone in all versions of Mac OS X and with just about every Mac. To disable an external microphone, simply unplug it from the Mac.

How to Disable the Internal Microphone on Mac by Reducing the Input Volume to 0

1. Launch System Preferences from the

P Apple menu in the upper left corner

- 2. Click on "Sound" preference panel
- 3. Click on the "Input" tab
- 4. Drag the "Input volume" slider all the way to the left, as seen in the included screenshot you can test the microphone has been disabled by talking and you'll notice the mic indicator no longer moves
- 5. Close System Preferences as usual

This method works to turn off the microphone by reducing the audio input to zero, effectively making the internal microphone unable to capture any sound.

	Sound Effects Output Input	
Select a device for sound in	nput:	
Name	Type	
Internal Microphone	Built-in	
		osxdaily.com
Settings for the selected dev	ice:	
Input volume:		
Input volume:	ŲĮ	
Input volume: Input level:	₽ ! ↓	-
Input volume: Input level:	Use ambient noise reduction	(

1. This control panel for the Microphone looks a little different depending on the version of Mac OS X used on the Mac, but it always allows users to change the microphone input level to zero, thereby disabling the ability to pick up sound.

Input volume: 🖳 🖓 👘 👘 👘 👘	ettings for the selected devic	e:												
	Input volume:	Ų.	P		1	_	_	i	_	I		_	-	Ļ
Input level:	Input level:	0 0	0	0	0	0	0	0	0	0	0	0	0	0 0

2. How to Disable the Internal Microphone on Mac by Selecting a Different Audio Input

Use this method if you basically want to disable the internal microphone's ability to hear audio entirely.

On older versions of Mac OS X you can also just select a different audio input like line-in, even if another mic is not connected to the Mac. This is not an option in newer versions, however, newer Macs can always just plug in a different line-in source and then select that and reduce the volume as described above.

- Launch the System Preferences
- Click on "Sound"
- Click on the "Input" tab
- Select "Line-in"
- Close System Preferences

Settings for the selected devi	ce:															
Input volume:	ļ		7	_	1	_	_	i	_	I		_	-	ļ		
Input level:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

This works by changing the audio input to the line-in, also known as the audio input port on your Mac. As long as you do not actually have any audio input device connected such as an external microphone or some other line-in device, this method is very effective.